SPECIFIC MOUNTING INSTRUCTIONS FOR DIFFERENT VAN MODELS

WARNINGS

Make sure that you read the mounting instructions -included in the package- carefully.

The measures indicated in the following pages are recommended but not compulsory.



KEEP YOUR VAN SAFE.

INDEX

CITROËN		MAN
Nemo (2007)	3	TGE (3140) 25
Berlingo (2016)	4	MEDCEDES
Jumpy (2017)	5	MERCEDES
Jumper (2015)	6	Citan (2012) 19
FIAT		Vito (2014) 20
IIAI		Sprinter (2006) 21
Fiorino (2016)	3	NICONN
Ducato (2017)	6	NISSAN
Talento (2017)	8	NV-200 (2014) 22
Doblò (2017)	10	E-NV-200 (2014) 23
		NV-300 (2017) 8
FORD		NV-400 (2017) 9
Transit connect (2013)	15	OPEL
Transit courier (2014)	16	OFEE
Transit custom (2012)	17	Vivaro (2014) 8
Transit T2 (2017)	18	Movano (2011) 9
		Movano (2011)
HYUNDAI		PEUGEOT
H350 (2015)	24	Bipper (2007) 3
		Partner (2017) 4
IVECO		Expert (2016) 5
Daily (2014)	11	Boxer (2015) 6

RENAULT Kangoo (2008) 7 Trafic (2014) 8 Master (2010) 9 TOYOTA Proace (2015) 5 VOLKSWAGEN Caddy (2015) 12 Transporter (2015) 13 Crafter (2017) 14












FIAT FIORINO



CITROËN NEMO




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 70


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 15





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$






PEUGEOT PARTNER




CITROËN BERLINGO



! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 72




INSTALLATION ON THE LATERAL DOOR

! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 10





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$










TOYOTA PROACE



CITROËN JUMPY




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 76,5


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 27,5





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$










CITROËN JUMPER



FIAT DUCATO




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 97


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 8





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$






RENAULT KANGOO

! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 72


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 22,5





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





RENAULT TRAFIC







FIAT TALENTO

OPEL VIVARO NISSAN NV-300


INSTALLATION ON THE REAR DOOR

! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 84


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 30





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$










NISSAN NV 400



OPEL MOVANO




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 103


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 20





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





FIAT DOBLO




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 70


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 10





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





IVECO DAILY




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 110


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 26





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





VOLKSWAGEN CADDY




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 57


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 38





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.


If $x \ge 12 \text{ mm}$





VOLKSWAGEN TRANSPORTER

INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 89


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 28





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.


If $x \ge 12 \text{ mm}$





VOLKSWAGEN CRAFTER

INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 96,5

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 20





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





FORD TRANSIT CONNECT




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 90


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 26





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





FORD TRANSIT COURIER




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 90


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 26





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





FORD TRANSIT CUSTOM




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 101


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 37





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





FORD TRANSIT T2




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 118


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 22





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.


If $x \ge 12 \text{ mm}$





MERCEDES CITAN

INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 75

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 34





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





MERCEDES VITO




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 92


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 36





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.


If $x \ge 12 \text{ mm}$





MERCEDES SPRINTER

INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 108

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 17





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





NISSAN NV 200




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 93


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 49





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





NISSAN E-NV-200




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 93


INSTALLATION ON THE LATERAL DOOR



in the picture.

Distance from **the door track** to the central axis of the drill template

cm 49





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





HYUNDAI H350




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 101


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 25





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





MAN TGE




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 96,5


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 20





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$