

**RECOMMENDED INSTALLATION HEIGHT
FOR EACH VAN MODEL**

SATURN
EVO

KEEP YOUR VAN SAFE.

WARNINGS

Always read the mounting instructions carefully.

The measures given on the following pages are **recommended** but not binding.

Daken S.p.A. reserves the right to make any change or variation to the products.

Each mounting must be **assessed** by the **installer** on a case-by-case basis and in consideration of the vehicle characteristics.

INDEX

CITROËN

Nemo (2007-2013)	4
Berlingo (> 2018)	5
Jumpy (> 2017)	6
Jumper (> 2014)	7

DACIA

Dokker (2013-2021)	8
--------------------	---

FIAT

Fiorino (> 2007)	9
Doblò (> 2009)	10
Talento (2016-2020)	11
Scudo (> 2021)	12
Ducato (> 2014)	13

FORD

Courier (2013 - 2024)	14
Courier (> 2024)	15
Connect (> 2014)	16
Custom (> 2012)	17
Transit (> 2014)	18

HYUNDAI

H350 (> 2016)	19
---------------	----

IVECO

Daily (> 2014)	20
----------------	----

MAN

TGE 3140 (> 2017)	21
-------------------	----

MAXUS

Edeliver 3 (> 2018)	22
Edeliver 9 (> 2019)	23

MERCEDES

Citan (<= 2021)	24
Citan (> 2021)	25
Vito (> 2014)	26
Sprinter (> 2018)	27

NISSAN

E-nv 200 (2014-2021)	28
Nv 250 (2019-2021)	29
Townstar Van (> 2021)	30
Primastar / nv-300 (>2016)	31
Interstar (2022)	32

OPEL

Combo (> 2018)	33
Vivaro B (2014-2019)	34
Vivaro C (> 2019)	35
Movano (> 2022)	36

PEUGEOT

Bipper (2007-2016)	37
Partner (> 2018)	38
Expert (> 2016)	39
Boxer (> 2014)	40

RENAULT

Kangoo (2008-2021)	41
Kangoo Van (>2021)	42
Express Van (> 2020)	43
Trafic (> 2014)	44
Master (> 2019)	45

TOYOTA

Proace City (> 2020)	46
Proace (> 2016)	47

VOLKSWAGEN

Caddy (2021 - 2024)	48
Caddy (> 2024)	49
Transporter (> 2014)	50
ID-Buzz (> 2022)	51
Crafter (> 2016)	52

RAM

Promaster (>2014)	53
-------------------	----

GMC

Savana (>1996)	54
----------------	----

CHEVROLET

Express Van (>1996)	55
---------------------	----




**CITROËN NEMO
2007-2013**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in




**CITROËN BERLINGO
> 2018**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


25 cm
9.84 in



**CITROËN JUMPY
> 2017**



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm
11.81 in




CITROËN JUMPER > 2014



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm
44.09 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
7.87 in



DACIA DOKKER
2013-2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm
29.53 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

15 cm
5.91 in




**FIAT FIORINO
> 2007**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in





**FIAT DOBLÒ
> 2009**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm
35.43 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in




FIAT TALENTO
2016 - 2020



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm
33.07 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm
11.81 in




**FIAT SCUDO
> 2021**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm
11.81 in





**FIAT DUCATO
> 2014**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm
44.09 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template



20 cm
7.87 in

FORD COURIER 2013 - 2024



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.04 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template



15 cm
5.91 in

FORD COURIER > 2024



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm
33.47 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template



20 cm
7.87 in

FORD CONNECT > 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm
33.47 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template



27 cm
10.63 in

**FORD CUSTOM
> 2012**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

100 cm
39.37 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template



30 cm
11.81 in

FORD TRANSIT > 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm
43.31 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm
11.81 in





HYUNDAI H350
> 2016



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

101 cm
39.76 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm
9.84 in



IVECO DAILY
> 2015

IVECO



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in




**MAN TGE
> 2017**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

140 cm
55.12 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
8.87 in





**MAXUS EDELIVER 3
> 2018**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

83 cm
32.68 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

27 cm
10.63 in




**MAXUS EDELIVER 9
> 2019**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm
43.31 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

18 cm
7.09 in




Mercedes-Benz

**MERCEDES CITAN
≤ 2021**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm
29.53 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm
9.45 in

For the **"Short"** version of the van we recommend using additional fixing plates. Reference **89530030**.




Mercedes-Benz

**MERCEDES CITAN
> 2021**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



**! Place the drill template as shown
in the picture.**

Distance from the bumper
to the central axis of the drill
template

75 cm
29.53 in



**! Place the drill template as shown
in the picture.**

Distance from the door track
to the central axis of the drill
template

24 cm
9.45 in




Mercedes-Benz

MERCEDES VITO
> 2014



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm
35.43 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

35 cm
13.78 in




Mercedes-Benz

**MERCEDES SPRINTER
> 2018**



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm
43.31 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in




NISSAN E-NV 200
2014 - 2021



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

93 cm
36.61 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

49 cm
19.29 in




NISSAN NV 250
2019 - 2021



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

72 cm
28.35 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

22,5 cm
8.86 in

For the **"Short"** version of the van we recommend using additional fixing plates. Reference **89530030**.





NISSAN TOWNSTAR VAN > 2021



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm
29.53 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm
9.45 in




**NISSAN PRIMASTAR
> 2022**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm
29.53 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm
9.45 in




**NISSAN INTERSTAR
> 2022**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


110 cm
43.31 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in




OPEL COMBO
> 2018



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


80 cm
31.5 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm
9.84 in




OPEL VIVARO B
2014 - 2019



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm
11.81 in




OPEL VIVARO C
> 2019



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm
11.81 in




OPEL MOVANO
> 2022



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm
44.09 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in





**PEUGEOT BIPPER
2007 - 2016**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



**! Place the drill template as shown
in the picture.**

Distance from the bumper
to the central axis of the drill
template

80 cm
31.5 in

**! Place the drill template as shown
in the picture.**

Distance from the door track
to the central axis of the drill
template


20 cm
7.87 in



PEUGEOT PARTNER > 2018



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm
9.84 in




**PEUGEOT EXPERT
> 2016**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm
11.81 in





**PEUGEOT BOXER
> 2014**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.


Distance from the bumper to the central axis of the drill template

112 cm
44.09 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in




RENAULT KANGOO 2008 - 2021



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

72 cm
28.35 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

22,5 cm
8.86 in

For the **"Short"** version of the van we recommend using additional fixing plates. Reference **89530030**.




RENAULT KANGOO VAN > 2021



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


75 cm
29.53 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm
9.45 in




RENAULT EXPRESS VAN > 2020



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in





RENAULT TRAFIC > 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm
33.07 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm
11.81 in





RENAULT MASTER > 2019



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm
43.31 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in




**TOYOTA PROACE CITY
> 2020**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm
9.84 in




**TOYOTA PROACE
> 2016**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm
11.81 in



VOLKSWAGEN CADDY 2021 - 2024



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

70 cm
27.56 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

10 cm
3.94 in





VOLKSWAGEN CADDY > 2024



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm
33.47 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in





VOLKSWAGEN TRANSPORTER > 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

40 cm
15.75 in





**VOLKSWAGEN ID-BUZZ
> 2022**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm
35.43 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
8.87 in



VOLKSWAGEN CRAFTER > 2016



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

140 cm
55.12 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in




**RAM PROMASTER
> 2014**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

66 cm
26 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

15 cm
6 in


**GMC SAVANA
> 1996**

GMC



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

26,6 cm
10.5 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

39,3 cm
15.5 in





CHEVROLET EXPRESS VAN > 1996



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

26,6 cm
10.5 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

39,3 cm
15.5 in