## RECOMMENDED INSTALLATION HEIGHT FOR EACH VAN MODEL



KEEP YOUR VAN SAFE.



#### **WARNINGS**

Always read the mounting instructions carefully.

The measures given on the following pages are **recommended** but not binding.

**Daken S.p.A.** reserves the right to make any change or variation to the products.

Each mounting must be **assessed** by the **installer** on a case-by-case basis and in consideration of the vehicle characteristics.

### **INDEX**

CITROËN		IVECO		OPEL	
Nemo (2007-2013) Berlingo (> 2018) Jumpy (> 2017) Jumper (> 2014)	4 5 6 7	Daily (> 2014)  MAN  TGE 3140 (> 2017)	20 21	Combo (> 2018) Vivaro B (2014-2019) Vivaro C (> 2019) Movano (> 2022)	33 34 35 36
DACIA  Dokker (2013-2021)  FIAT  Fiorino (> 2007)	8	MAXUS  Edeliver 3 (> 2018)  Edeliver 9 (> 2019)  MERCEDES	22 23	PEUGEOT  Bipper (2007-2016)  Partner (> 2018)  Expert (> 2016)  Boxer (> 2014)	37 38 39 40
Doblò (> 2009) Talento (2016-2020) Scudo (> 2021) Ducato (> 2014)  FORD	10 11 12 13	Citan (<= 2021) Citan (> 2021) Vito (> 2014) Sprinter (> 2018)	24 25 26 27	Kangoo (2008-2021) Kangoo Van (>2021) Express Van (> 2020) Trafic (> 2014) Master (> 2019)	41 42 43 44 45
Courier (2013 - 2024) Courier (> 2024) Connect (> 2014) Custom (> 2012) Transit (> 2014)	14 15 16 17 18	E-nv 200 (2014-2021) Nv 250 (2019-2021) Townstar Van (> 2021) Primastar / nv-300 (>2016) Interstar (2022)	28 29 30 31 32	TOYOTA  Proace City (> 2020)  Proace (> 2016)  VOLKSWAGEN	46 47
H350 (> 2016)	19	BLACKSTON	E	Caddy (2021 - 2024) Caddy (> 2024) Transporter (> 2014) ID-Buzz (> 2022) Crafter (> 2016)	48 49 50 57 52






#### CITROËN NEMO 2007-2013



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






#### CITROËN BERLINGO > 2018



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### CITROËN JUMPY > 2017



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### CITROËN JUMPER > 2014



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### DACIA DOKKER 2013-2021



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






FIAT FIORINO > 2007



#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






FIAT DOBLÒ > 2009



#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






FIAT TALENTO 2016 - 2020



#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






FIAT SCUDO > 2021



#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






FIAT DUCATO > 2014



#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.


Distance from the bumper to the central axis of the drill template

112 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template











#### **INSTALLATION ON THE LATERAL DOOR**





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template




FORD COURIER > 2024





#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template











#### **INSTALLATION ON THE LATERAL DOOR**





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template




FORD CUSTOM > 2012





#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

100 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template




FORD TRANSIT > 2014





#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### HYUNDAI H350 > 2016



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

101 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template




### IVECO DAILY > 2015

# IVECO



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






MAN TGE > 2017



#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

140 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### MAXUS EDELIVER 3 > 2018



#### **INSTALLATION ON THE REAR DOOR**


#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

83 cm



Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### MAXUS EDELIVER 9 > 2019



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### MERCEDES CITAN <= 2021



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm

For the "Short" version of the van we recommend using additional fixing plates. Reference 89530017.






### MERCEDES CITAN > 2021



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### MERCEDES VITO > 2014



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### MERCEDES SPRINTER > 2018



#### **INSTALLATION ON THE REAR DOOR**


#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm



Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






NISSAN E-NV 200 2014 - 2021



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

93 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






NISSAN NV 250 2019 - 2021



#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

72 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

22,5 cm

For the "Short" version of the van we recommend using additional fixing plates. Reference 89530017.






### NISSAN TOWNSTAR VAN > 2021



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### NISSAN PRIMASTAR > 2022



#### **INSTALLATION ON THE REAR DOOR**


#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm



Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### NISSAN INTERSTAR > 2022



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### OPEL COMBO > 2018



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






OPEL VIVARO B 2014 - 2019



#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






#### OPEL VIVARO C > 2019



#### **INSTALLATION ON THE REAR DOOR**


#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm



Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### OPEL MOVANO > 2022



#### **INSTALLATION ON THE REAR DOOR**

#### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






### PEUGEOT BIPPER 2007 - 2016



### **INSTALLATION ON THE REAR DOOR**


### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm



Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






# PEUGEOT PARTNER > 2018



### **INSTALLATION ON THE REAR DOOR**


### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm



Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






# PEUGEOT EXPERT > 2016



### **INSTALLATION ON THE REAR DOOR**


## **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm



Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






# PEUGEOT BOXER > 2014



### **INSTALLATION ON THE REAR DOOR**

### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.


Distance from the bumper to the central axis of the drill template

112 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






RENAULT KANGOO 2008 - 2021



#### **INSTALLATION ON THE REAR DOOR**

### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

72 cm


Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

22,5 cm

For the "Short" version of the van we recommend using additional fixing plates. Reference 89530017.






# RENAULT KANGOO VAN > 2021



### **INSTALLATION ON THE REAR DOOR**

## **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.


Distance from the bumper to the central axis of the drill template

75 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






# RENAULT EXPRESS VAN > 2020



## **INSTALLATION ON THE REAR DOOR**

### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.


Distance from the bumper to the central axis of the drill template

80 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






RENAULT TRAFIC > 2014



### **INSTALLATION ON THE REAR DOOR**

### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.


Distance from the bumper to the central axis of the drill template

84 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






RENAULT MASTER > 2019



### **INSTALLATION ON THE REAR DOOR**

### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






# TOYOTA PROACE CITY > 2020



### **INSTALLATION ON THE REAR DOOR**


### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm



Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






# TOYOTA PROACE > 2016



### **INSTALLATION ON THE REAR DOOR**


### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm



Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






## VOLKSWAGEN CADDY 2021 - 2024



### **INSTALLATION ON THE REAR DOOR**

### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

70 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






# VOLKSWAGEN CADDY > 2024



### **INSTALLATION ON THE REAR DOOR**

### **INSTALLATION ON THE LATERAL DOOR**



hown Place the drill template as shown

in the picture.

template

Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm

Distance from the door track to the central axis of the drill **20 cm** 






# VOLKSWAGEN TRANSPORTER > 2014



### **INSTALLATION ON THE REAR DOOR**

### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






# VOLKSWAGEN ID-BUZZ > 2022



### **INSTALLATION ON THE REAR DOOR**


### **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm



Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template






# VOLKSWAGEN CRAFTER > 2016



## **INSTALLATION ON THE REAR DOOR**

## **INSTALLATION ON THE LATERAL DOOR**



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

140 cm

Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template