

**RECOMMENDED INSTALLATION HEIGHT
FOR EACH VAN MODEL**

SATURN
GO

KEEP YOUR VAN SAFE.



WARNINGS

Always read the mounting instructions carefully.

The measures given on the following pages are **recommended** but not binding.

Daken S.p.A. reserves the right to make any change or variation to the products.

Each mounting must be **assessed** by the **installer** on a case-by-case basis and in consideration of the vehicle characteristics.

INDEX

CITROËN

Nemo (2007-2013)	4
Berlingo (> 2018)	5
Jumpy (> 2017)	6
Jumper (> 2014)	7

DACIA

Dokker (2013-2021)	8
--------------------	---

FIAT

Fiorino (> 2007)	9
Doblò (> 2009)	10
Talento (2016-2020)	11
Scudo (> 2021)	12
Ducato (> 2014)	13

FORD

Courier (2013 - 2024)	14
Courier (> 2024)	15
Connect (> 2014)	16
Custom (> 2012)	17
Transit (> 2014)	18

HYUNDAI

H350 (> 2016)	19
---------------	----

IVECO

Daily (> 2014)	20
----------------	----

MAN

TGE 3140 (> 2017)	21
-------------------	----

MAXUS

Edeliver 3 (> 2018)	22
Edeliver 9 (> 2019)	23

MERCEDES

Citan (<= 2021)	24
Citan (> 2021)	25
Vito (> 2014)	26
Sprinter (> 2018)	27

NISSAN

E-nv 200 (2014-2021)	28
Nv 250 (2019-2021)	29
Townstar Van (> 2021)	30
Primastar / nv-300 (>2016)	31
Interstar (2022)	32

OPEL

Combo (> 2018)	33
Vivaro B (2014-2019)	34
Vivaro C (> 2019)	35
Movano (> 2022)	36

PEUGEOT

Bipper (2007-2016)	37
Partner (> 2018)	38
Expert (> 2016)	39
Boxer (> 2014)	40

RENAULT

Kangoo (2008-2021)	41
Kangoo Van (>2021)	42
Express Van (> 2020)	43
Trafic (> 2014)	44
Master (> 2019)	45

TOYOTA

Proace City (> 2020)	46
Proace (> 2016)	47

VOLKSWAGEN

Caddy (2021 - 2024)	48
Caddy (> 2024)	49
Transporter (> 2014)	50
ID-Buzz (> 2022)	51
Crafter (> 2016)	52




**CITROËN NEMO
2007-2013**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm





CITROËN BERLINGO > 2018



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm




CITROËN JUMPY > 2017



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm



CITROËN JUMPER > 2014



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm




**DACIA DOKKER
2013-2021**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

15 cm




**FIAT FIORINO
> 2007**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm





**FIAT DOBLÒ
> 2009**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm




**FIAT TALENTO
2016 - 2020**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm





FIAT SCUDO
> 2021



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm




**FIAT DUCATO
> 2014**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template



20 cm

FORD COURIER 2013 - 2024



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template



15 cm

FORD COURIER > 2024



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template



20 cm

FORD CONNECT > 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template



27 cm

FORD CUSTOM > 2012



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

100 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template



30 cm

FORD TRANSIT > 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm





HYUNDAI H350
> 2016



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

101 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm



IVECO DAILY
> 2015

IVECO



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm




**MAN TGE
> 2017**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

140 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm



**MAXUS EDELIVER 3
> 2018**



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

83 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

27 cm





**MAXUS EDELIVER 9
> 2019**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

18 cm




Mercedes-Benz

**MERCEDES CITAN
≤ 2021**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm

For the **"Short"** version of the van we recommend using additional fixing plates. Reference **89530030**.




Mercedes-Benz

**MERCEDES CITAN
> 2021**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm




Mercedes-Benz

**MERCEDES VITO
> 2014**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

35 cm





Mercedes-Benz

MERCEDES SPRINTER
> 2018



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm




NISSAN E-NV 200
2014 - 2021



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

93 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

49 cm




NISSAN NV 250
2019 - 2021



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

72 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

22,5 cm


For the "Short" version of the van we recommend using additional fixing plates. Reference **89530030**.



NISSAN TOWNSTAR VAN > 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm





NISSAN PRIMASTAR
> 2022



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm





NISSAN INTERSTAR
> 2022



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.


Distance from the bumper to the central axis of the drill template

110 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm





OPEL COMBO > 2018



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.


Distance from the bumper to the central axis of the drill template

80 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm





**OPEL VIVARO B
2014 - 2019**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.


Distance from the bumper to the central axis of the drill template

95 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm




OPEL VIVARO C
> 2019



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


95 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm




**OPEL MOVANO
> 2022**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm




**PEUGEOT BIPPER
2007 - 2016**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm





PEUGEOT PARTNER > 2018



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm





**PEUGEOT EXPERT
> 2016**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm





PEUGEOT BOXER > 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm




RENAULT KANGOO 2008 - 2021



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

72 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

22,5 cm

For the **"Short"** version of the van we recommend using additional fixing plates. Reference **89530030**.





RENAULT KANGOO VAN > 2021



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm




RENAULT EXPRESS VAN > 2020



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm





RENAULT TRAFIC > 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm





RENAULT MASTER > 2019



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm





TOYOTA PROACE CITY
> 2020



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown
in the picture.

Distance from the bumper
to the central axis of the drill
template

80 cm

! Place the drill template as shown
in the picture.

Distance from the door track
to the central axis of the drill
template

25 cm





TOYOTA PROACE
> 2016



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm




**VOLKSWAGEN CADDY
2021 - 2024**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

70 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

10 cm





VOLKSWAGEN CADDY > 2024



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm



VOLKSWAGEN TRANSPORTER > 2014



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

40 cm





**VOLKSWAGEN ID-BUZZ
> 2022**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm



VOLKSWAGEN CRAFTER > 2016



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

140 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm