


**RECOMMENDED INSTALLATION HEIGHT
FOR EACH VAN MODEL**



BLACKSTONE

KEEP YOUR VAN SAFE.



WARNINGS

Always read the mounting instructions carefully.

The measures given on the following pages are **recommended** but not binding.

Daken S.p.A. reserves the right to make any change or variation to the products.

Each mounting must be **assessed** by the **installer** on a case-by-case basis and in consideration of the vehicle characteristics.

INDEX

CITROËN

Nemo (2007-2013)	4
Berlingo (> 2018)	5
Jumpy (> 2017)	6
Jumper (> 2014)	7

DACIA

Dokker (2013-2021)	8
--------------------	---

FIAT

Fiorino (> 2007)	9
Doblò (> 2009)	10
Talento (2016-2020)	11
Scudo (> 2021)	12
Ducato (> 2014)	13

FORD

Courier (2013 - 2024)	14
Courier (> 2024)	15
Connect (> 2014)	16
Custom (> 2012)	17
Transit (> 2014)	18

HYUNDAI

H350 (> 2016)	19
---------------	----

IVECO

Daily (> 2014)	20
MAN	
TGE 3140 (> 2017)	21

MAXUS

Edeliver 3 (> 2018)	22
Edeliver 9 (> 2019)	23

MERCEDES

Citan (<= 2021)	24
Citan (> 2021)	25
Vito (> 2014)	26
Sprinter (> 2018)	27

NISSAN

E-nv 200 (2014-2021)	28
Nv 250 (2019-2021)	29
Townstar Van (> 2021)	30
Primastar / nv-300 (> 2016)	31
Interstar (2022)	32

OPEL

Combo (> 2018)	33
Vivaro B (2014-2019)	34
Vivaro C (> 2019)	35
Movano (> 2022)	36

PEUGEOT

Bipper (2007-2016)	37
Partner (> 2018)	38
Expert (> 2016)	39
Boxer (> 2014)	40

RENAULT

Kangoo (2008-2021)	41
Kangoo Van (> 2021)	42
Express Van (> 2020)	43
Trafic (> 2014)	44
Master (> 2019)	45


TOYOTA

Proace City (> 2020)	46
Proace (> 2016)	47

VOLKSWAGEN


Caddy (2021 - 2024)	48
Caddy (> 2024)	49
Transporter (> 2014)	50
ID-Buzz (> 2022)	51
Crafter (> 2016)	52

BLACKSTONE

**CITROËN****CITROËN NEMO
2007-2013****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


80 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**CITROËN****CITROËN BERLINGO
> 2018****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


80 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


25 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**CITROËN****CITROËN JUMPY
> 2017****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


95 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**CITROËN****CITROËN JUMPER
> 2014****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



DACIA DOKKER
2013-2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

INSTALLATION ON THE LATERAL DOOR




! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

15 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**FIAT FIORINO**
> 2007**INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm


INSTALLATION ON THE LATERAL DOOR

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**FIAT DOBLÒ**
> 2009**INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



FIAT TALENTO
2016 - 2020



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm

INSTALLATION ON THE LATERAL DOOR




! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**FIAT SCUDO**
>> 2021**INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


95 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**FIAT DUCATO**
>> 2014**INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


112 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm


INSTALLATION ON THE LATERAL DOOR

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

15 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm


INSTALLATION ON THE LATERAL DOOR

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm


INSTALLATION ON THE LATERAL DOOR

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


27 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**FORD CUSTOM
> 2012****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


100 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**FORD TRANSIT
> 2014****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



HYUNDAI H350
> 2016



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

101 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


25 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

IVECO



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

INSTALLATION ON THE LATERAL DOOR




! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

MAN TGE
> 2017**INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


140 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**MAXUS****MAXUS EDELIVER 3
> 2018****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


83 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


27 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**MAXUS****MAXUS EDELIVER 9
> 2019****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

18 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




Mercedes-Benz

MERCEDES CITAN
<= 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm

The above height recommendations are a guide, other mounting heights are possible.
For the **Short** version of the Van we recommend using additional fixing plates. Reference **89530017**.
Choose a flat area on the door that does not cause interference.




Mercedes-Benz

MERCEDES CITAN
> 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




Mercedes-Benz

MERCEDES VITO
> 2014



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

35 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




Mercedes-Benz

MERCEDES SPRINTER
> 2018



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



NISSAN E-NV 200
2014 - 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

93 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

49 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



NISSAN NV 250
2019 - 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

72 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

22,5 cm


The above height recommendations are a guide, other mounting heights are possible.
For the **Short** version of the Van we recommend using additional fixing plates. Reference **89530017**.
Choose a flat area on the door that does not cause interference.



NISSAN TOWNSTAR VAN
> 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

INSTALLATION ON THE LATERAL DOOR




! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


24 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**NISSAN PRIMASTAR
> 2022****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



NISSAN INTERSTAR
> 2022



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

INSTALLATION ON THE LATERAL DOOR





! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**OPEL COMBO
> 2018****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template



80 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


25 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**OPEL VIVARO B
2014 - 2019****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template



95 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**OPEL VIVARO C
> 2019****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template



95 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**OPEL MOVANO
> 2022****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



PEUGEOT BIPPER
2007 - 2016



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



PEUGEOT PARTNER
> 2018



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



PEUGEOT EXPERT
> 2016



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



PEUGEOT BOXER
> 2014



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm

INSTALLATION ON THE LATERAL DOOR




! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



RENAULT KANGOO
2008 - 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

72 cm

INSTALLATION ON THE LATERAL DOOR




! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

22,5 cm


The above height recommendations are a guide, other mounting heights are possible.
For the **Short** version of the Van we recommend using additional fixing plates. Reference **89530017**.
Choose a flat area on the door that does not cause interference.



RENAULT KANGOO VAN
> 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

INSTALLATION ON THE LATERAL DOOR




! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



RENAULT EXPRESS VAN
> 2020



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

INSTALLATION ON THE LATERAL DOOR





! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**RENAULT TRAFIC**
> 2014**INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template



84 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**RENAULT MASTER
> 2019****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


110 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**TOYOTA****TOYOTA PROACE CITY
> 2020****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


80 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


25 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**TOYOTA****TOYOTA PROACE
> 2016****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


95 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**VOLKSWAGEN CADDY
2021 - 2024****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


70 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


10 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**VOLKSWAGEN CADDY
> 2024****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


85 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**VOLKSWAGEN TRANSPORTER
> 2014****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


95 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


40 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**VOLKSWAGEN ID-BUZZ
> 2022****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


90 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**VOLKSWAGEN CRAFTER
> 2016****INSTALLATION ON THE REAR DOOR**

! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

140 cm**INSTALLATION ON THE LATERAL DOOR**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.