

**RECOMMENDED INSTALLATION HEIGHT  
FOR EACH VAN MODEL**

**SATURN**  
EVO

**KEEP YOUR VAN SAFE.**



## WARNINGS

Always read the mounting instructions carefully.

The measures given on the following pages are **recommended** but not binding.

**Daken S.p.A.** reserves the right to make any change or variation to the products.

Each mounting must be **assessed** by the **installer** on a case-by-case basis and in consideration of the vehicle characteristics.

# INDEX

## CITROËN

Nemo (2007-2013)	4
Berlingo (> 2018)	5
Jumpy (> 2017)	6
Jumper (> 2014)	7

## DACIA

Dokker (2013-2021)	8
--------------------	---

## FIAT

Fiorino (> 2007)	9
Doblò (> 2009)	10
Talento (2016-2020)	11
Scudo (> 2021)	12
Ducato (> 2014)	13

## FORD

Courier (2013 - 2024)	14
Courier (> 2024)	15
Connect (> 2014)	16
Custom (> 2012)	17
Transit (> 2014)	18

## HYUNDAI

H350 (> 2016)	19
---------------	----

## IVECO

Daily (> 2014)	20
----------------	----

## MAN

TGE 3140 (> 2017)	21
-------------------	----

## MAXUS

Edeliver 3 (> 2018)	22
Edeliver 9 (> 2019)	23

## MERCEDES

Citan (<= 2021)	24
Citan (> 2021)	25
Vito (> 2014)	26
Sprinter (> 2018)	27

## NISSAN

E-nv 200 (2014-2021)	28
Nv 250 (2019-2021)	29
Townstar Van (> 2021)	30
Primastar / nv-300 (>2016)	31
Interstar (2022)	32

## OPEL

Combo (> 2018)	33
Vivaro B (2014-2019)	34
Vivaro C (> 2019)	35
Movano (> 2022)	36

## PEUGEOT

Bipper (2007-2016)	37
Partner (> 2018)	38
Expert (> 2016)	39
Boxer (> 2014)	40

## RENAULT

Kangoo (2008-2021)	41
Kangoo Van (>2021)	42
Express Van (> 2020)	43
Trafic (> 2014)	44
Master (> 2019)	45

## TOYOTA

Proace City (> 2020)	46
Proace (> 2016)	47

## VOLKSWAGEN

Caddy (2021 - 2024)	48
Caddy (> 2024)	49
Transporter (> 2014)	50
ID-Buzz (> 2022)	51
Crafter (> 2016)	52





## CITROËN NEMO 2007-2013



### INSTALLATION ON THE REAR DOOR

### INSTALLATION ON THE LATERAL DOOR



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**80 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





## CITROËN BERLINGO > 2018



### INSTALLATION ON THE REAR DOOR

### INSTALLATION ON THE LATERAL DOOR



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**80 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**25 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





CITROËN JUMPY  
> 2017



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**95 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**30 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





## CITROËN JUMPER > 2014



### INSTALLATION ON THE REAR DOOR

### INSTALLATION ON THE LATERAL DOOR



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**112 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





**DACIA DOKKER  
2013-2021**



**INSTALLATION ON THE REAR DOOR**

**INSTALLATION ON THE LATERAL DOOR**



**! Place the drill template as shown in the picture.**

Distance from the bumper to the central axis of the drill template

**75 cm**

**! Place the drill template as shown in the picture.**

Distance from the door track to the central axis of the drill template

**15 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





**FIAT FIORINO  
> 2007**



## INSTALLATION ON THE REAR DOOR

## INSTALLATION ON THE LATERAL DOOR



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**80 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





FIAT DOBLÒ  
> 2009



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**90 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



**FIAT TALENTO  
2016 - 2020**



**INSTALLATION ON THE REAR DOOR**




**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**84 cm**

**INSTALLATION ON THE LATERAL DOOR**



**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**30 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





FIAT SCUDO  
> 2021



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**95 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**30 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





FIAT DUCATO  
> 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**112 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**



The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

## FORD COURIER 2013 - 2024



### INSTALLATION ON THE REAR DOOR

### INSTALLATION ON THE LATERAL DOOR



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**95 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**15 cm**



The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

FORD COURIER  
> 2024



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**85 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**



The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

FORD CONNECT  
> 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**85 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**27 cm**



The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

FORD CUSTOM  
> 2012



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**100 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**30 cm**



The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

FORD TRANSIT  
> 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**110 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**30 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





HYUNDAI H350  
> 2016



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**101 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**25 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



IVECO DAILY  
> 2015

IVECO



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**80 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**



The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

**MAN TGE  
> 2017**



## INSTALLATION ON THE REAR DOOR

## INSTALLATION ON THE LATERAL DOOR



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**140 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





MAXUS

MAXUS EDELIVER 3  
> 2018



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**83 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**27 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





MAXUS EDELIVER 9  
> 2019



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**110 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**18 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





Mercedes-Benz

MERCEDES CITAN  
≤ 2021



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**75 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**24 cm**

The above height recommendations are a guide, other mounting heights are possible. For the **Short** version of the van we recommend using additional fixing plates. Reference **89530029**. Choose a flat area on the door that does not cause interference.




Mercedes-Benz

MERCEDES CITAN  
> 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**75 cm**

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**24 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




Mercedes-Benz

MERCEDES VITO  
> 2014



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**90 cm**

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**35 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




Mercedes-Benz

MERCEDES SPRINTER  
> 2018



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**110 cm**

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





NISSAN E-NV 200  
2014 - 2021



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**93 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**49 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





NISSAN NV 250  
2019 - 2021



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**72 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**22,5 cm**


The above height recommendations are a guide, other mounting heights are possible. For the **Short** version of the van we recommend using additional fixing plates. Reference **89530029**. Choose a flat area on the door that does not cause interference.



NISSAN TOWNSTAR VAN  
> 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**75 cm**

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**24 cm**


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



NISSAN PRIMASTAR  
> 2022



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**84 cm**

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**30 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





NISSAN INTERSTAR  
> 2022



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


**110 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





OPEL COMBO  
> 2018



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


**80 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**25 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





**OPEL VIVARO B  
2014 - 2019**



## INSTALLATION ON THE REAR DOOR

## INSTALLATION ON THE LATERAL DOOR



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


**95 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**30 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





OPEL VIVARO C  
> 2019



## INSTALLATION ON THE REAR DOOR

## INSTALLATION ON THE LATERAL DOOR



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


**95 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**30 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





OPEL MOVANO  
> 2022



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**112 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





**PEUGEOT BIPPER  
2007 - 2016**



**INSTALLATION ON THE REAR DOOR**

**INSTALLATION ON THE LATERAL DOOR**



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**80 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



PEUGEOT PARTNER  
> 2018



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**80 cm**

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**25 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





PEUGEOT EXPERT  
> 2016



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**95 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**30 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





PEUGEOT BOXER  
> 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


**112 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





## RENAULT KANGOO 2008 - 2021



### INSTALLATION ON THE REAR DOOR

### INSTALLATION ON THE LATERAL DOOR



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


**72 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**22,5 cm**

The above height recommendations are a guide, other mounting heights are possible. For the **Short** version of the van we recommend using additional fixing plates. Reference **89530029**. Choose a flat area on the door that does not cause interference.





## RENAULT KANGOO VAN > 2021



### INSTALLATION ON THE REAR DOOR

### INSTALLATION ON THE LATERAL DOOR



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


**75 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**24 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





RENAULT EXPRESS VAN  
> 2020



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


**80 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





## RENAULT TRAFIC > 2014



### INSTALLATION ON THE REAR DOOR

### INSTALLATION ON THE LATERAL DOOR



**!** Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template


**84 cm**

**!** Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**30 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





RENAULT MASTER  
> 2019



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**110 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





TOYOTA PROACE CITY  
> 2020



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**80 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**25 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





TOYOTA PROACE  
> 2016



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**95 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**30 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





**VOLKSWAGEN CADDY  
2021 - 2024**



**INSTALLATION ON THE REAR DOOR**

**INSTALLATION ON THE LATERAL DOOR**



**! Place the drill template as shown in the picture.**

Distance from the bumper to the central axis of the drill template

**70 cm**

**! Place the drill template as shown in the picture.**

Distance from the door track to the central axis of the drill template

**10 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





**VOLKSWAGEN CADDY  
> 2024**



**INSTALLATION ON THE REAR DOOR**

**INSTALLATION ON THE LATERAL DOOR**



**! Place the drill template as shown in the picture.**

Distance from the bumper to the central axis of the drill template

**85 cm**

**! Place the drill template as shown in the picture.**

Distance from the door track to the central axis of the drill template

**20 cm**


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



**VOLKSWAGEN TRANSPORTER  
> 2014**



**INSTALLATION ON THE REAR DOOR**




**! Place the drill template as shown in the picture.**

Distance from the bumper to the central axis of the drill template

**95 cm**

**INSTALLATION ON THE LATERAL DOOR**



**! Place the drill template as shown in the picture.**

Distance from the door track to the central axis of the drill template

**40 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





VOLKSWAGEN ID-BUZZ  
> 2022



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

**90 cm**

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

**20 cm**


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



**VOLKSWAGEN CRAFTER  
> 2016**



**INSTALLATION ON THE REAR DOOR**




**! Place the drill template as shown in the picture.**

Distance from the bumper to the central axis of the drill template

**140 cm**

**INSTALLATION ON THE LATERAL DOOR**



**! Place the drill template as shown in the picture.**

Distance from the door track to the central axis of the drill template

**20 cm**

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.