

**RECOMMENDED INSTALLATION HEIGHT
FOR EACH VAN MODEL**

SATURN
GO

KEEP YOUR VAN SAFE.



WARNINGS

Always read the mounting instructions carefully.

The measures given on the following pages are **recommended** but not binding.

Daken S.p.A. reserves the right to make any change or variation to the products.

Each mounting must be **assessed** by the **installer** on a case-by-case basis and in consideration of the vehicle characteristics.

INDEX

CITROËN

Nemo (2007-2013)	4
Berlingo (> 2018)	5
Jumpy (> 2017)	6
Jumper (> 2014)	7

DACIA

Dokker (2013-2021)	8
--------------------	---

FIAT

Fiorino (> 2007)	9
Doblò (> 2009)	10
Talento (2016-2020)	11
Scudo (> 2021)	12
Ducato (> 2014)	13

FORD

Courier (2013 - 2024)	14
Courier (> 2024)	15
Connect (> 2014)	16
Custom (> 2012)	17
Transit (> 2014)	18

HYUNDAI

H350 (> 2016)	19
---------------	----

IVECO

Daily (> 2014)	20
----------------	----

MAN

TGE 3140 (> 2017)	21
-------------------	----

MAXUS

Edeliver 3 (> 2018)	22
Edeliver 9 (> 2019)	23

MERCEDES

Citan (<= 2021)	24
Citan (> 2021)	25
Vito (> 2014)	26
Sprinter (> 2018)	27

NISSAN

E-nv 200 (2014-2021)	28
Nv 250 (2019-2021)	29
Townstar Van (> 2021)	30
Primastar / nv-300 (>2016)	31
Interstar (2022)	32

OPEL

Combo (> 2018)	33
Vivaro B (2014-2019)	34
Vivaro C (> 2019)	35
Movano (> 2022)	36

PEUGEOT

Bipper (2007-2016)	37
Partner (> 2018)	38
Expert (> 2016)	39
Boxer (> 2014)	40

RENAULT

Kangoo (2008-2021)	41
Kangoo Van (>2021)	42
Express Van (> 2020)	43
Trafic (> 2014)	44
Master (2019-2023)	45
Master (> 2024)	46

TOYOTA

Proace City (> 2020)	47
Proace (> 2016)	48

VOLKSWAGEN

Caddy (2021 - 2024)	49
Caddy (> 2024)	50
Transporter (> 2014)	51
ID-Buzz (> 2022)	52
Crafter (> 2016)	53




**CITROËN NEMO
2007-2013**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




CITROËN BERLINGO > 2018



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**CITROËN JUMPY
> 2017**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





CITROËN JUMPER > 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**DACIA DOKKER
2013-2021**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

15 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**FIAT FIORINO
> 2007**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**FIAT DOBLÒ
> 2009**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**FIAT TALENTO
2016 - 2020**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**FIAT SCUDO
> 2021**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





**FIAT DUCATO
> 2014**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

FORD COURIER 2013 - 2024



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

15 cm



The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

FORD COURIER > 2024



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm



The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

FORD CONNECT > 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

27 cm



The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

FORD CUSTOM > 2012



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

100 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm



The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.

FORD TRANSIT > 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





HYUNDAI H350
> 2016



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

101 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



IVECO DAILY
> 2015

IVECO



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





**MAN TGE
> 2017**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

140 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





MAXUS EDELIVER 3 > 2018



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

83 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

27 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**MAXUS EDELIVER 9
> 2019**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

18 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





Mercedes-Benz

MERCEDES CITAN ≤ 2021



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm

The above height recommendations are a guide, other mounting heights are possible.
For the "Short" version of the van we recommend using additional fixing plates. Reference **89530030**.
Choose a flat area on the door that does not cause interference.





Mercedes-Benz

MERCEDES CITAN > 2021



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




Mercedes-Benz

**MERCEDES VITO
> 2014**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

35 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





Mercedes-Benz

MERCEDES SPRINTER > 2018



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




NISSAN E-NV 200
2014 - 2021



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

93 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

49 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




NISSAN NV 250
2019 - 2021



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

72 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

22,5 cm

The above height recommendations are a guide, other mounting heights are possible.
For the "Short" version of the van we recommend using additional fixing plates. Reference **89530030**.
Choose a flat area on the door that does not cause interference.




NISSAN TOWNSTAR VAN > 2021



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**NISSAN PRIMASTAR
> 2022**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**NISSAN INTERSTAR
> 2022**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





**OPEL COMBO
> 2018**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





**OPEL VIVARO B
2014 - 2019**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




OPEL VIVARO C
> 2019



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





OPEL MOVANO
> 2022



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**PEUGEOT BIPPER
2007 - 2016**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





PEUGEOT PARTNER > 2018



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**PEUGEOT EXPERT
> 2016**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





**PEUGEOT BOXER
> 2014**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**RENAULT KANGOO
2008 - 2021**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

72 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

22,5 cm

The above height recommendations are a guide, other mounting heights are possible.
For the "Short" version of the van we recommend using additional fixing plates. Reference **89530030**.
Choose a flat area on the door that does not cause interference.




RENAULT KANGOO VAN > 2021



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





RENAULT EXPRESS VAN > 2020



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





RENAULT TRAFIC > 2014



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





RENAULT MASTER 2019 - 2023



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.





RENAULT MASTER > 2024



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

120 cm

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**TOYOTA PROACE CITY
> 2020**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**TOYOTA PROACE
> 2016**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




**VOLKSWAGEN CADDY
2021 - 2024**



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

70 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

10 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




VOLKSWAGEN CADDY > 2024



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




VOLKSWAGEN TRANSPORTER > 2014



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

40 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.




VOLKSWAGEN ID-BUZZ > 2022



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm


The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.



VOLKSWAGEN CRAFTER > 2016



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

140 cm

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm

The above height recommendations are a guide, other mounting heights are possible. Choose a flat area on the door that does not cause interference.